SITE-SPECIFIC STRUCTURAL FUMIGATION LOG

Vikane label: The information followed by a "(B)" below must be documented before the initiation of the fumigation; other information listed below without a "B" must be documented during the fumigation process, if not before.

1. General information		
Fumigation company (B)	**Business license No.**	**Job No.**
Fumigation site address (B)		**County**
Structure type (B)	**Target pest(s) (B)**	

2. Fumigant introduction					
a. Dosing calculations					
Dosage factor	**Tarp condition**	**Under seal type**	**Seal condition**	**Underseal**	**Wind (mph)**
Volume of fumigated space (1000 cubic feet) (B)		**Dose (oz/MCF)**	**Temperature**	**Hours of exposure**	**Number of fans**
b. Introduction of chloropicrin and sulfuryl fluoride					
Certified applicator responsible for introduction			**License No.**	**Signature**	
Second trained person(s) and certified applicator(s) assisting with introduction					
Total ounces of warning agent chloropicrin introduced		**Number of introduction sites**		**Date of fumigant release**	**Time of fumigant release**
Fumigant (brand name) and EPA Reg. No.		**Cylinder serial number(s) of sulfuryl fluoride applied**		**Pounds of fumigant applied**	

3. Aeration		
Certified applicator responsible for initiating aeration	**License No.**	**Signature**
Certified applicator(s) and second trained person(s) assisting with initiating aeration		
Date aeration initiated	**Time aeration initiated**	**Aeration procedure (1 or 2)**

Fumigation site address (B)	Job No.

4. Final clearance testing

Certified applicator responsible for conducting final clearance testing	License No.	Signature

Certified applicator(s) assisting final clearance testing

Date final clearance testing completed	Time completed	Clearance device model type

Breathing zone readings, 1 ppm or less in each room before re-entry

Room or area	ppm	Room or area	ppm

Cleared for re-entry (date and time)	Warning sign removal authorized by

5. Emergency response information

Get exposed person to fresh air. Call 911 or an ambulance. Keep exposed person warm and at rest. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Do not put anything in the mouth of an unconscious person.

Hospital nearest to the site (name and address)	Product emergency phone (from the label)

6. Comments