RECORD OF TERMITICIDE USE

FOR REGULATORY INSPECTOR USE	**Case File #**
Company Name Lowcountry Termite & Pest	**Business License #** **B** 5127
Company Address 4975 Rivers Avenue, North Charleston, SC 29406	

THIS INFORMATION MUST BE READILY AVAILABLE UPON REQUEST BY A DEPARTMENT OF PESTICIDE REGULATION INSPECTOR.
PLEASE PRINT.

DCA Name Darnell Simmons	**License #** **CA** 35810
Supervising Commercial Applicator Name Darnell Simmons	**License #** **C** 35810

Structure Treated By (Identify all applicators/ technicians treating structure by name and license #. Note 1st, 2nd, or 3rd treatment.):

Name	License #	Treatment #
Darnell Simmons	35810	1st

Property Owner Name Evelyn and Thomas Pinckney

	Street Address or PO Box	Apt. #	City	State	County
Property Owner Mailing Address	1462 Wappoo Road		Charleston	SC	Charleston

☑ **Same as above. If different than above,**

	Street Address	Apt. #	City	State	County
Treatment Site Address					

Foundation Type ☑ Crawl ☐ Slab ☐ Other _____

Nature of Treatment ☐ Pretreat ☑ Existing ☐ Retreatment Due to Infestation ☐ Bait Station Installation

Waiver Signed? ☑ Yes ☐ No

	Slabs	Crawlspace	Garage	Porch(es)	Other	
Square Footage of Structure	0	1,580	0	48	0	square feet.

Total Outside Linear Footage of Foundation Walls	Exterior Perimeter 176 linear feet.	**Number of Foundation Piers** 14

Brand Name of Termiticide Termidor SC	**Common chemical name (if available)** Fipronil	**EPA#** 7969-210

Treatment Technique ☑ Trenching ☑ Void Treatment ☐ Pretreat ☐ Bait Station Installation ☐ Wood Treatment

	1st Initial	**2nd** (slabs, retreat, booster, etc.)	**3rd** (complete exterior, etc.)
Date(s) of Treatment(s)	09/30/2026		
Date Treatment(s) Completed	09/30/2026		
Total Gallons of Termiticide Concentrate or Number of Bait Stations Used	1.29 gal (165 fl oz)		
Total Number of Diluted Gallons Used	206		
Percentage Dilution Rate (ex.: 1%, .5%, etc.)	0.06%		

S.C. Code Regs. 27-1083(C)(3)(a): For pre-construction termite-control treatments ("pretreats"), including the installation of bait systems and baits containing active ingredients, records of termiticide application must be maintained for a period of five (5) years or as long as a continuing warranty or contract exists, whichever is longer, and must be made available to the Director or his designee for review and duplication upon request at the expense of the Department.

S.C. Code Regs. 27-1083(C)(3)(b): For post-construction termite-control treatments, including the installation of bait systems and baits containing active ingredients, records of termiticide application must be maintained for a period of five (5) years from the date of application or as long as a continuing warranty or contract exists, whichever is longer, and must be made available to the Director or his designee for review and duplication upon request at the expense of the Department.