NOTICE OF FUMIGATION

To every dwelling or place of business within 10 feet

Oklahoma
OAC 35:30-17-82

1. Premises notified

To the occupants of	Address notified
Danielle Ortiz	1520 Northwest 28th Street, Unit A, Oklahoma City, OK 73106

Distance from the building being fumigated	Delivered in writing on (date and time)	
Attached (shares a wall)	11/03/2026 4:30 PM	☑ Handed to an adult ☐ Left at the main entrance

☑ **Fumigant fact sheet given, when the label requires it**

2. Building being fumigated

Address of the building being fumigated	Target pest
1520 Northwest 28th Street, Unit B, Oklahoma City, OK 73106	Bed bugs
Fumigant (brand name) and EPA Reg. No.	**Kind of gas**
Vikane, EPA Reg. No. 1015-78	Sulfuryl fluoride, with chloropicrin as a warning agent

3. When these premises must be empty

Everyone out by (date and time)	Gas release (date and time)	Aeration begins (date and time)	Expected re-entry, once cleared (date and time)
11/06/2026 8:00 AM	11/06/2026 9:00 AM	11/07/2026 9:30 AM	11/08/2026 10:00 AM

4. Fumigation company

Company	ODAFF license No.	24-hour phone
Cross Timbers Pest & Termite, LLC	2318	(405) 555-0134

Address
4512 Southeast 29th Street, Del City, OK 73115

Certified fumigator in charge (category 7c)	Certification No.
Wade Holcomb	19806

Fumigator signature	Received by (print name)
Wade Holcomb	Danielle Ortiz

OAC 35:30-17-82: "All dwellings or places of business within 10 feet of the building being fumigated must be notified in writing in advance of the fumigation, and all premises within 10 feet must be vacated during the fumigation and aeration periods."

OAC 35:30-17-81: "Fumigation of apartments within a multiple unit apartment building may be fumigated only after proper sealing of the area being fumigated and after all adjacent apartments beside, above, and below, are vacated, and all the adjacent units shall be properly ventilated during the entire exposure period."

OAC 35:30-17-85: "No one other than the fumigator shall be permitted to re-enter the fumigated premises until the fumigator has ascertained by personal inspection, with gas mask and with the suitable test, that the premises are safe for occupancy."

NOTICE OF FUMIGATION

To the local law enforcement and fire department

Oklahoma
OAC 35:30-17-78

1. Sent to

	Agency	Phone, fax, or email used	Sent on (date and time)	Taken by
Law enforcement	Oklahoma City Police Department	Email to the non-emergency desk	11/05/2026 10:15 AM	Sgt. K. Morrow
Fire department	Oklahoma City Fire Department	Email to the fire marshal's office	11/05/2026 10:20 AM	Capt. L. Brandt

2. The four facts OAC 35:30-17-78 requires

Address of the fumigation job
1520 Northwest 28th Street, Unit B, Oklahoma City, OK 73106

Time of gas release (date and time)	Kind of gas to be used	Beginning time of the aeration (date and time)
11/06/2026 9:00 AM	Sulfuryl fluoride, with chloropicrin as a warning agent	11/07/2026 9:30 AM

3. Crew and contact

Certified fumigator in charge (category 7c) Wade Holcomb	**Certification No.** 19806
Second person at release and initial ventilation Jesse Rendon	**Registration No.** 51176
Company Cross Timbers Pest & Termite, LLC	**24-hour phone** (405) 555-0134
Premises within 10 feet notified in writing (address and date) 1520 Northwest 28th Street, Unit A (attached, shares a wall), 11/03/2026; 1524 Northwest 28th Street (house 8 ft away), 11/03/2026	
Fumigator signature *Wade Holcomb*	**Date** 11/05/2026

OAC 35:30-17-78: "Prior to fumigation of any building or enclosed space, other than a fumigating vault, the certified applicator shall notify and provide the local law enforcement and fire department with the address of the fumigation job, time of gas release, kind of gas to be used, and beginning time of the aeration of the premises."

OAC 35:30-17-77: "There shall be at least two persons, one of whom must be a certified applicator in the fumigation category, present at the time of the releasing of the fumigant and during the initial ventilation. During the interim, the premises shall be adequately safeguarded against entry by any human being."